



Belt Inventory Checklist / RFQ

Tel: 905-281-3462
 Fax: 905-279-6137
 info@fargoindustrial.ca
 www.fargoindustrial.ca

Use this form to request a free, no-obligation **Request for Quote (RFQ)** for multiple belts.

YOUR CONTACT INFORMATION - PLEASE PRINT			
Contact Name + Title			
Company Name + Location			
Phone		Fax	
Email			
Today's Date		RFQ#	
<input checked="" type="checkbox"/> WHICH INDUSTRIAL BELT PRODUCTS INTEREST YOU			
<input type="checkbox"/> Industrial		<input type="checkbox"/> Timing Belts	
<input type="checkbox"/> Kevlar Line		<input type="checkbox"/> V-Belts	
<input type="checkbox"/> Agricultural		<input type="checkbox"/> Specialty Belts	
TELL US ABOUT YOUR BELT REQUIREMENTS			
Quantity	Belt + Size	Quantity	Belt + Size
FAX COMPLETED FORM TO (905) 279-6137 or EMAIL TO INFO@FARGOINDUSTRIAL.CA			

**Service Value Reliability.
Today and Tomorrow**





















Belt Inventory Checklist / RFQ

Tel: 905-281-3462
Fax: 905-279-6137
info@fargoindustrial.ca
www.fargoindustrial.ca

**Match your belts to the profiles below.
Then use the form on the previous page to submit the RFQ.**

Fargo provides this chart for general reference only. Consult your engineering professional for specific questions and uses.

V-Belt Type	Top Width	V-Belt Type	Top Width	V-Belt Type	Top Width
Conventional Wrapped 	A – 1/2"	Kevlar Corded Banded 	3VK – 3/8"	Kevlar Dry Wrapped 	3LK – 3/8"
	B – 21/32"		5VK – 5/8"		4LK – 1/2"
	C – 7/8"		8VK – 1"		5LK – 21/32"
	D – 1-1/4"		BK – 21/32"		AK – 1/2"
	E – 1-1/2"		CK – 7/8"		BK – 21/32"
Wedge Wrapped 	3V – 9mm	Classic Raw Edge 	AX – 1/2"	Wedge Wrapped Banded 	3V – 9.7mm
	5V – 15mm		BX – 21/32"		5V – 15.8mm
	8V – 25mm		CX – 7/8"		8V – 25.4mm
Fractional Wrapped 	2L – 1/4"	Metric Raw Edge 	XPZ – 9.7mm	Wrapped Banded 	A – 13mm
	3L – 3/8"		XPA – 12.7mm		B – 17mm
	4L – 1/2"		XPB – 17mm		C – 22mm
	5L – 21/32"		XPC – 22mm		D – 32mm
Metric Wrapped 	SPZ – 10mm	Cogged Automotive 	15 – 15/32"	Metric Wrapped Banded 	SPB – 17mm
	SPA – 13mm		17 – 17/32"		
	SPB – 17mm		22 – 22/32"		SPC – 22mm
	SPC – 22mm		28 – 28/32"		
Hexagonal Double 	AA – 1/2"	Wedge Raw Edge 	3VX – 3/8"	Variable Speed Cogged 	Varied widths
	BB – 21/32"		5VX – 5/8"		
	CC – 7/8"		8VX – 1"		
Cogged Banded 	BX – 17mm	Multi Rib (Poly – V) 	PJ – 0.09" pitch	Wedge Cogged Banded 	3VX – 32mm
	CX – 22mm		PK – 0.14" pitch		5VX – 9.7mm

*Fargo provides this chart for your reference only. Specifications are deemed to be accurate but should be considered approximate.













**Service Value Reliability.
Today and Tomorrow**



Belt Inventory Checklist / RFQ

Tel: 905-281-3462
 Fax: 905-279-6137
 info@fargoindustrial.ca
 www.fargoindustrial.ca

Fargo provides this chart for general reference only. Consult your engineering professional for specific questions and uses.

☑	Timing Belt Profile	Timing Belt Profile	☑
	3M, 5M, 8M, 14M, 20M 	 L, H	
	S2M, S3M, S4.5M, S5M, S8M, S14M 	 MXL, XL, XH, XXH	
	D3M, D5M, D8M, D14M 	 DL, DH	
	DS3M, DS4.5M, DS5M, DS8M, DS14M 	 DXL, DXH	
	RPP2M, RPP3M, RPP5M, RPP8M, RPP14M 	 T2.5, T5, T10, T20	
	DRPP5M, DRPP8M, DRPP14M 	 AT5, AT10, AT20	

*Fargo provides this chart for your reference only. Specifications are deemed to be accurate but should be considered approximate.

**Service Value Reliability.
Today and Tomorrow**